

3-27x56 PM II High Power - 3-27x56 PM II High Power LP MSR2 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP MSR2 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015933
- Mfr. No.: 669-911-842-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064858

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-27x56 PM II High Power](#)
- [About Us](#)

Safety Instruction Guide for 3-27x56 PM II High Power

Introduction

Thank you for choosing the 3-27x56 PM II High Power riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read through this document carefully before using the product.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use in accordance with EU safety standards. Ensure you follow all safety instructions to minimize risks.
- **Enhanced Recalls:** In the unlikely event of a safety recall, you will be notified through standardized notices. Please keep your purchase information accessible.
- **Online Shopping Protections:** If you purchased this product online, you have the same safety protections as if you bought it in a physical store.
- **Special Consumer Focus:** Extra care should be taken when the product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point provided by the manufacturer.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope to prevent injury from potential recoil or debris.
- **Handling:** Handle the riflescope with care. Avoid dropping it or subjecting it to impact, as this could affect its performance.
- **Mounting:** Ensure the riflescope is securely mounted to prevent it from loosening during use.
- **Moisture Exposure:** Avoid exposing the riflescope to excessive moisture or extreme weather conditions to maintain its integrity.
- **Cleaning:** Use a soft, dry cloth for cleaning the lenses. Avoid using harsh chemicals that may damage the coatings.
- **Storage:** Store the riflescope in a cool, dry place when not in use. Use a protective case to prevent damage.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting base for your rifle.
- Align the riflescope with the mounting base and secure it tightly using the provided screws.
- Ensure that the riflescope is level and properly aligned with the rifle barrel.

2. Usage:

- Adjust the magnification to your desired level using the zoom ring.
- Ensure the objective lens is clean before use for optimal clarity.
- Check the focus and parallax settings according to the distance of your target.
- Maintain a stable shooting position to enhance accuracy.

3. Zeroing the Scope:

- Fire a group of shots at a target to determine where the shots are landing.
- Adjust the elevation and windage turrets according to the manufacturer's instructions to align the point of impact with your point of aim.

4. **Safety Checks:**

- Before firing, always ensure that the area is clear of obstructions and that you have a safe backstop.
- Keep your finger off the trigger until you are ready to shoot.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the product in accordance with local regulations for electronic waste. Do not dispose of it in regular household waste.
- **Recycling:** If possible, recycle the product components to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the use or safety of the 3-27x56 PM II High Power riflescope, please refer to the manufacturer's provided contact information or your retailer for assistance.

Thank you for your attention to these safety guidelines. Enjoy using your 3-27x56 PM II High Power riflescope responsibly and safely.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk