

# 3-27x56 PM II High Power - 3-27x56 PM II High Power LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

## Attributes

- Name: [3-27x56 PM II High Power LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015935
- Mfr. No.: 669-911-532-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064810

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-27x56 PM II High Power](#)
- [About Us](#)

# Safety Instruction Guide for the 3-27x56 PM II High Power

## Introduction

Thank you for choosing the 3-27x56 PM II High Power riflescope by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe use of your product. Please read this document carefully before using the riflescope.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by following all instructions provided in this guide. This product is designed for nonfood use and complies with EU safety regulations.
- **Enhanced Recalls:** In the event of a product recall, standardized notices will be provided. You are entitled to free remedies for any dangerous products.
- **Online Shopping:** If you purchased this product online, you have the same safety protections as if you bought it in a physical store.
- **Special Consumer Focus:** Extra precautions should be taken if the product is used by vulnerable groups, such as children. Always supervise use.
- **EU Contact Point:** For safety inquiries, refer to the EU-based contact provided with your purchase.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform, which provides fast alerts on unsafe products.

## Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or subjecting it to strong impacts.
- **Mounting:** Ensure the riflescope is securely mounted to prevent it from loosening during use.
- **Moisture:** Keep the riflescope dry. Avoid exposing it to excessive moisture or water.
- **Temperature:** Do not expose the riflescope to extreme temperatures. Store it in a cool, dry place.
- **Use of Accessories:** Only use accessories that are compatible with the 3-27x56 PM II High Power. Using incompatible accessories may result in damage or unsafe operation.
- **Maintenance:** Regularly inspect the riflescope for any signs of wear or damage. If any issues are found, cease use immediately and consult a professional.

## Instructions for Installation and Usage

1. **Unpacking:** Carefully unpack the riflescope and check for any visible damage or missing parts. If any issues are present, do not use the product.
2. **Mounting the Riflescope:**
  - Select a suitable rifle mount compatible with a 34 mm main tube.
  - Securely attach the riflescope to the mount following the manufacturer's instructions.
  - Ensure that the riflescope is level and aligned with the rifle barrel.
3. **Adjusting the Turrets:**
  - Familiarize yourself with the turret system for elevation and windage adjustments.
  - Make adjustments in small increments to achieve precision targeting.
4. **Parallax Adjustment:**
  - Adjust the parallax setting based on the distance to your target. The adjustment typically spans from approximately 10 m to infinity.
5. **Using the Riflescope:**
  - Position your eye at the designated eye relief distance (approximately 90 mm) for optimal viewing.
  - Use the magnification range (3-27x) to adapt to various shooting distances and scenarios.
  - Always ensure a stable shooting position to maintain accuracy.
6. **Cleaning:**

- Use a soft, lintfree cloth for cleaning the lenses. Avoid using harsh chemicals or abrasive materials that may scratch the lenses.

## **Disposal Instructions**

- **Environmentally Friendly Disposal:** When you no longer need the riflescope, dispose of it in an environmentally friendly manner. Follow local regulations for electronic waste disposal.
- **Recycling:** If possible, recycle components of the riflescope according to local recycling guidelines.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and use of the 3-27x56 PM II High Power riflescope, please refer to the contact information provided with your product.

Thank you for your attention to these safety instructions. Enjoy your experience with the 3-27x56 PM II High Power riflescope, and always prioritize safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)