

3-27x56 PM II High Power - 3-27x56 PM II High Power LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP MSR2 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015947
- Mfr. No.: 669-911-842-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064803

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope

Introduction

Thank you for choosing the 3-27x56 PM II High Power Riflescope by Schmidt and Bender. This guide provides essential safety information to ensure the safe and effective use of the product. Please read this guide carefully before using the riflescope to familiarize yourself with its features and safety precautions.

General Safety Guidelines

- Always handle the riflescope with care to prevent damage.
- Ensure that the riflescope is used only for its intended purpose as a tactical riflescope.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Store the riflescope in a safe, dry place when not in use.

Specific Safety Precautions for Use

- Do not look directly at the sun through the riflescope, as this may cause permanent eye damage.
- Ensure that the riflescope is securely mounted to your firearm before use.
- Always make sure the firearm is unloaded when attaching or detaching the riflescope.
- Be aware of your surroundings and ensure that your shooting area is safe and free from obstructions.
- Use appropriate eye protection while using the riflescope.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before beginning the installation.
- Use the appropriate mounting rings to attach the riflescope to the firearm's rail.
- Tighten the mounting screws evenly to secure the riflescope in place.
- Check the alignment of the reticle and make adjustments as necessary.

2. Usage:

- Adjust the magnification ring to the desired level (3-27x).
- Use the elevation and windage turrets to zero the riflescope according to your shooting needs.
- Adjust the parallax setting based on the distance to your target for optimal clarity.
- Ensure proper eye relief by positioning your eye at a safe distance from the ocular lens.

Disposal Instructions

- Dispose of the riflescope and its packaging in accordance with local regulations.
- Do not dispose of the riflescope in household waste.
- Check with local authorities or recycling centers for proper disposal methods.

Contact Information for Further Support

For further assistance or inquiries regarding safety concerns, please contact the manufacturer or your local distributor. Ensure you have the product details ready for a more efficient response.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your

3-27x56 PM II High Power Riflescope. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk