

3-27x56 PM II High Power - 3-27x56 PM II High Power LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0-1.4 m at 100 m, while the exit pupil ranges around 8.7-2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015948
- Mfr. No.: 669-911-422-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064797

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-27x56 PM II High Power](#)
- [About Us](#)

Safety Instruction Guide for 3-27x56 PM II High Power

Introduction

Thank you for choosing the 3-27x56 PM II High Power riflescope by Schmidt and Bender. This guide provides essential safety instructions to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR). Please read this guide thoroughly before using the product.

General Safety Guidelines

- **Product Safety:** This riflescope is designed for safe use. Always ensure that you follow the safety instructions to prevent accidents.
- **Enhanced Recalls:** In the unlikely event of a recall, information will be provided to ensure you can return the product safely.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Always keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use protective eyewear when using the riflescope to prevent eye injury from recoil or debris.
- **Secure Mounting:** Ensure the riflescope is securely mounted on the firearm to prevent detachment during use.
- **Check for Damage:** Before each use, inspect the riflescope for any signs of damage. Do not use if damaged.
- **Proper Handling:** Handle the riflescope with care to avoid dropping it or exposing it to extreme conditions.
- **Keep Away from Moisture:** Avoid exposing the riflescope to moisture to prevent internal damage.
- **Use Appropriate Ammunition:** Ensure that the ammunition used is compatible with the riflescope and firearm.
- **Follow Local Laws:** Always comply with local laws and regulations regarding the use of firearms and optical devices.

Instructions for Installation and Usage

1. Unpacking the Product:

- Carefully remove the riflescope from the packaging.
- Check for any visible damage or missing components.

2. Mounting the Riflescope:

- Select a suitable mounting base for your firearm.
- Align the riflescope with the mounting base and secure it using the provided screws.
- Ensure that the riflescope is level and securely fastened.

3. Adjusting the Turrets:

- Familiarize yourself with the turret system for elevation and windage adjustments.
- Use the appropriate tools to make fine adjustments as needed.

4. **Setting the Parallax:**

- Adjust the parallax setting based on your shooting distance, ranging from approximately 10 m to infinity.

5. **Focusing the Reticle:**

- Adjust the eyepiece focus until the reticle appears sharp and clear.

6. **Zeroing the Riflescope:**

- Follow the manufacturer's instructions for zeroing the riflescope to ensure accurate shooting.

7. **Using the Riflescope:**

- Always maintain a stable shooting position.
- Use the eye relief of approximately 90 mm for comfortable viewing.
- Be aware of the field of view, which spans approximately 13.0-1.4 m at 100 m.

Disposal Instructions

- **Responsible Disposal:** Dispose of the riflescope in accordance with local regulations for electronic waste.
- **Recycling:** If possible, recycle the product to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the use of the 3-27x56 PM II High Power riflescope, please consult the retailer from whom you purchased the product for support and guidance.

By following these guidelines, you can ensure a safe and enjoyable experience with your new riflescope. Always prioritize safety and responsible use. Thank you for your attention to these important instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk