

# 3-27x56 PM II High Power - 3-27x56 PM II High Power LP GR<sup>2</sup>ID 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27x56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27x magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0-1.4 m at 100 m, while the exit pupil ranges around 8.7-2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27x

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27x56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

## Attributes

- Name: [3-27x56 PM II High Power LP GR<sup>2</sup>ID 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015956
- Mfr. No.: 669-911-422-M2-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537061819

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-27x56 PM II High Power](#)
- [About Us](#)

# Safety Instruction Guide for 3-27x56 PM II High Power

## Introduction

Thank you for choosing the 3-27x56 PM II High Power riflescope by Schmidt and Bender. This guide provides essential safety instructions to ensure the safe use of your product. Please read this document carefully before using the riflescope to understand how to operate it safely and effectively.

## General Safety Guidelines

- **Product Safety:** The 3-27x56 PM II High Power is designed for safe use. Follow all guidelines to minimize risks associated with its operation.
- **Enhanced Recalls:** In the event of any safety concerns, standardized recall notices will be issued. Stay informed about potential product recalls.
- **Online Shopping:** When purchasing online, ensure that the platform complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is stored safely out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point provided by the retailer or manufacturer.
- **Rapid Alerts:** Stay updated on product safety through the EU's Safety Gate platform, which provides timely information on unsafe products.

## Specific Safety Precautions for Use

- **Hazard Identification:**
  - Always be aware of your surroundings when using the riflescope.
  - Ensure that the area is clear of people and animals before aiming or firing.
  - Be cautious of extreme weather conditions that may affect visibility.
- **Avoiding Hazards:**
  - Do not use the riflescope if it is damaged or malfunctioning.
  - Always secure the riflescope properly to prevent it from falling or being misaligned.
  - Use the riflescope only for its intended purpose; do not modify or alter it in any way.
- **Age Specific Warnings:**
  - The product is designed for adult use. Ensure that it is not operated by individuals under the age of 18 without proper supervision.

## Instructions for Installation and Usage

- **Installation:**
  - Ensure that the riflescope is mounted securely on the firearm according to the manufacturer's instructions.
  - Check all screws and mounts to confirm they are tightened properly before use.
- **Usage:**

- Adjust the magnification settings according to your target distance.
- Use the parallax adjustment to ensure a clear image at various distances.
- Maintain a stable shooting position to enhance accuracy.
- Always wear appropriate eye protection while using the riflescope.

- **Maintenance:**

- Regularly clean the lenses with a soft, lintfree cloth to maintain clarity.
- Store the riflescope in a cool, dry place when not in use to prevent damage.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the riflescope in regular household waste.

## **Contact Information for Further Support**

For further assistance or inquiries regarding the 3-27x56 PM II High Power riflescope, please refer to the retailer or manufacturer's provided contact information.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 3-27x56 PM II High Power riflescope. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)