

# 3-27x56 PM II High Power - 3-27x56 PM II High Power LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

## Attributes

- Name: [3-27x56 PM II High Power LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015963
- Mfr. No.: 669-945-532-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537065015

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope

## Introduction

Thank you for choosing the 3-27x56 PM II High Power Riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure safe and effective use of the product. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers and provide clear guidelines for usage.

## General Safety Guidelines

- Ensure safe handling and use of the riflescope to avoid accidents.
- Familiarize yourself with the product features and specifications before use.
- Store the riflescope in a secure location away from children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Follow all local laws and regulations regarding the use of riflescopes and firearms.
- Be aware of your surroundings and ensure a safe shooting environment.

## Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope to prevent injury from recoil or debris.
- **Firearm Safety:** Treat every firearm as if it is loaded. Always point the firearm in a safe direction.
- **Installation:** Ensure that the riflescope is securely mounted to the firearm to prevent it from loosening during use.
- **Adjustment:** Make adjustments to the scope only when the firearm is pointed in a safe direction.
- **Parallax Adjustment:** Familiarize yourself with the parallax adjustment feature to ensure accuracy at various distances.
- **Magnification Range:** Use the appropriate magnification setting for your shooting distance and conditions.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may affect visibility or performance.

## Instructions for Installation and Usage

### 1. Mounting the Riflescope:

- Select a suitable mounting base compatible with your firearm.
- Secure the mounting rings to the base according to the manufacturer's instructions.
- Place the riflescope into the rings and tighten them evenly to avoid misalignment.

### 2. Sight Alignment:

- Look through the riflescope and ensure that the reticle is level.
- Adjust the scope as necessary to achieve proper alignment with the firearm.

### 3. Zeroing the Scope:

- Choose a safe shooting range and set up a target at a predetermined distance.
- Fire a group of shots and observe the impact points.
- Adjust the windage and elevation turrets to align the reticle with the point of impact.

### 4. Using the Scope:

- Adjust the magnification to the desired level based on your shooting needs.
- Use the parallax adjustment to ensure clarity at varying distances.
- Maintain a stable shooting position for optimal accuracy.

#### **5. Maintenance:**

- Regularly clean the lenses with a soft, lintfree cloth.
- Store the riflescope in a dry, cool place to prevent moisture damage.
- Inspect the scope periodically for any signs of damage or misalignment.

## **Disposal Instructions**

- Dispose of the riflescope in accordance with local regulations regarding electronic and optical equipment.
- Do not dispose of the product in household waste. Check for local recycling programs for proper disposal.

## **Contact Information for Further Support**

For any inquiries regarding safety or product support, please refer to the contact details provided by your retailer or manufacturer. Always ensure that you have access to support resources for any questions or concerns regarding the use of your riflescope.

Stay safe and enjoy your shooting experience with the 3-27x56 PM II High Power Riflescope.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)