

3-27x56 PM II High Power - 3-27x56 PM II High Power LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015970
- Mfr. No.: 669-945-422-G8-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064995

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-27x56 PM II High Power](#)
- [About Us](#)

Safety Instruction Guide for 3-27x56 PM II High Power

Introduction

Thank you for choosing the 3-27x56 PM II High Power riflescope from Schmidt and Bender. This guide provides important safety instructions and guidelines to ensure safe use of the product. Please read this document carefully before using the riflescope to ensure optimal performance and safety.

General Safety Guidelines

- **Product Safety:** This riflescope is designed for safe use in various environments. Always ensure that it is used according to the guidelines provided in this manual.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices regarding the product. In the event of a recall, follow the instructions provided for returning or replacing the product.
- **Online Shopping:** If you purchased this product online, ensure that the seller complies with safety regulations. Always buy from reputable sources.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of their reach to avoid accidents.
- **EU Contact Point:** For any safety inquiries, ensure you have access to a local EU contact point for assistance.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on product safety and potential hazards.

Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use eye protection when using the riflescope, especially during shooting activities.
- **Proper Handling:** Handle the riflescope with care. Avoid dropping or subjecting it to extreme impacts that could damage the internal components.
- **Weather Conditions:** Do not use the riflescope in extreme weather conditions, such as heavy rain or snow, unless it is specifically rated for such use.
- **Secure Mounting:** Ensure that the riflescope is securely mounted to the firearm to prevent it from becoming loose during use.
- **Check for Obstructions:** Before using the riflescope, check for any obstructions in the line of sight that could interfere with aiming or shooting.
- **Proper Adjustment:** Follow the instructions for adjusting the magnification and parallax to ensure accurate targeting.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before installing the riflescope.
- Use the appropriate mounting rings and bases for secure attachment to the firearm.
- Tighten all screws and bolts securely but avoid overtightening, which could damage the scope or mounting hardware.

2. Usage:

- Adjust the magnification by rotating the magnification ring to the desired level.
- Focus the reticle by adjusting the eyepiece until the reticle is clear.
- Use the turret system for elevation and windage adjustments. Each click corresponds to

approximately 0.1 mrad.

- Always check the zeroing of the riflescope before engaging in shooting activities.

3. **Maintenance:**

- Regularly clean the lenses with a soft, lintfree cloth to maintain clarity.
- Store the riflescope in a protective case when not in use to prevent dust and moisture accumulation.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the riflescope and any packaging materials in accordance with local regulations for electronic waste.
- **Recycling:** If applicable, consider recycling components of the riflescope to minimize environmental impact.

Contact Information for Further Support

For further assistance, please refer to the manufacturer's website or contact your local distributor. Ensure you have the product's model number and any relevant purchase information when seeking support.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 3-27x56 PM II High Power riflescope. Thank you for your attention to safety, and enjoy your new product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk