

3-27x56 PM II High Power - 3-27x56 PM II High Power LP P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

Attributes

- Name: [3-27x56 PM II High Power LP P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015972
- Mfr. No.: 669-945-972-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537065077

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instructions for 3-27x56 PM II High Power Riflescope](#)
- [About Us](#)

Safety Instructions for 3-27x56 PM II High Power Riflescope

Introduction

Thank you for choosing the 3-27x56 PM II High Power Riflescope from Schmidt and Bender. This product is designed for tactical use, providing exceptional performance and versatility. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- **Product Safety:** This riflescope is engineered to be safe for all users. Ensure you understand how to operate it properly to minimize risks.
- **Enhanced Recalls:** In the unlikely event of a product recall, you will be notified through standardized notices. Follow the instructions provided for any necessary remedies.
- **Online Shopping:** If you purchased this product online, the same safety protections apply as if you bought it in a physical store.
- **Special Consumer Focus:** Extra precautions should be taken if the product is used by vulnerable groups, including children. Ensure that only qualified individuals handle this riflescope.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or exposing it to extreme conditions that could lead to damage.
- **Mounting:** Ensure the riflescope is properly mounted on your firearm according to the manufacturer's instructions. An improperly mounted scope can affect accuracy and safety.
- **Eye Protection:** Always wear appropriate eye protection when using this riflescope to shield against potential recoil or debris.
- **Target Identification:** Always positively identify your target before firing. Never shoot at sounds or movements without confirming your target.
- **Age Restrictions:** This product is intended for use by adults and trained professionals. Do not allow minors to operate the riflescope without supervision.
- **Environmental Conditions:** Avoid using the riflescope in extreme weather conditions that may affect visibility or performance.

Instructions for Installation and Usage

1. Installation:

- Select a suitable firearm that is compatible with the 3-27x56 PM II High Power Riflescope.
- Use the appropriate mounting rings and base for your firearm.
- Securely attach the riflescope to the firearm, ensuring it is level and aligned with the bore.
- Tighten all screws and mounts according to the manufacturer's specifications to prevent movement during use.

2. Usage:

- Adjust the magnification according to your shooting distance and conditions.
- Focus the eyepiece to ensure a clear sight picture.
- Use the turret system to make precise adjustments for windage and elevation as needed.

- Regularly check for parallax adjustment to ensure accuracy at varying distances.

3. Maintenance:

- Keep the riflescope clean and free from debris. Use a soft, lintfree cloth for cleaning the lenses.
- Store the riflescope in a dry, cool place when not in use to prevent damage.
- Regularly inspect the mounting and adjustments to ensure they remain secure and functional.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.
- Do not dispose of the product in regular household waste.
- Check with local authorities or recycling centers for safe disposal options.

Contact Information for Further Support

For any questions or concerns regarding the 3-27x56 PM II High Power Riflescope, please refer to the contact information provided by your retailer or the manufacturer. Always ensure that you are following all safety guidelines and instructions for the best experience with your product.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the 3-27x56 PM II High Power Riflescope.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk