

# 3-27x56 PM II High Power - 3-27x56 PM II High Power LP MSR2 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-27×56 PM II High Power from Schmidt and Bender is a premier tactical riflescope engineered for ultimate versatility—capable of precise performance from near-range engagements all the way to extreme long-distance targets. With an expansive 3-27× magnification range, this scope adapts effortlessly across calibres and mission profiles.

Its 56 mm objective lens offers exceptional light gathering and clarity, enabling detailed target acquisition even at great distances. The field of view spans approximately 13.0–1.4 m at 100 m, while the exit pupil ranges around 8.7–2.1 mm. Generous eye relief of around 90 mm ensures comfortable alignment and a stable sight picture.

Built on a rugged 34 mm main tube, the scope is constructed for demanding environments. The turret system accommodates ultra-fine click values (e.g., ~0.1 mrad) and massive internal adjustment ranges for elevation and windage—making it suitable for long-range engagement scenarios. Parallax adjustment commonly spans from around 10 m to infinity, giving flexibility across varied target distances.

Key Specifications:

Magnification: 3-27×

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View: approx. 13.0-1.4 m @100 m

Exit Pupil: approx. 8.7-2.1 mm

Eye Relief: approx. 90 mm

Click Value: approx. 0.1 mrad (~0.5 cm @100 m) depending on configuration

Parallax: from ~10 m to infinity

Crafted with German precision, the 3-27×56 PM II High Power is ideal for professionals, competition marksmen or hunters who demand the highest optical clarity, mechanical resilience and full versatility across a wide range of engagement distances.

## Attributes

- Name: [3-27x56 PM II High Power LP MSR2 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015973
- Mfr. No.: 669-945-842-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537065107

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for the 3-27x56 PM II High Power Riflescope

## Introduction

Thank you for choosing the 3-27x56 PM II High Power Riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of your riflescope. Please read the following information carefully to maximize your experience and minimize any risks associated with the product.

## General Safety Guidelines

- **Product Safety:** This riflescope is designed for safe use in various environments. Always follow the guidelines provided to ensure proper handling and operation.
- **Enhanced Recalls:** In case of any safety issues, standardized recall notices will be issued. Check for updates regularly to stay informed.
- **Online Shopping Protections:** If purchased online, ensure that the retailer complies with all safety requirements similar to physical stores.
- **Vulnerable Groups:** Special care should be taken when used around children or individuals who may not understand the potential risks associated with firearms and optics.
- **EU Contact Point:** For safety inquiries, please ensure you have access to the designated EU-based contact for this product.
- **Rapid Alerts:** Stay updated on any product safety alerts through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Always handle the riflescope with care** to prevent damage.
- **Do not point the riflescope at any person or animal** while it is mounted on a firearm.
- **Ensure the riflescope is securely mounted** before use to avoid accidents.
- **Avoid using the riflescope in extreme weather conditions** (e.g., heavy rain, snow, or fog) to maintain its integrity and performance.
- **Regularly inspect the riflescope** for any signs of damage or wear. If any issues are detected, discontinue use and consult a professional.
- **Keep the riflescope out of reach of children** and individuals who are not trained in firearm safety.
- **Do not attempt to disassemble or modify the riflescope** as this can compromise safety and performance.

## Instructions for Installation and Usage

- **Installation:**

1. Ensure the firearm is unloaded before installing the riflescope.
2. Clean the mounting area on the firearm to ensure a secure fit.
3. Align the riflescope with the mounting rings and secure it using the provided screws.
4. Adjust the position of the riflescope for proper eye relief and comfort.
5. Tighten all mounting screws securely but avoid overtightening.

- **Usage:**

1. Before using the riflescope, familiarize yourself with its features and adjustments.
2. Adjust the magnification according to your shooting distance and target size.
3. Use the turret system for fine adjustments in elevation and windage.
4. Always check the parallax adjustment to ensure accurate targeting.
5. Maintain a stable shooting position and ensure proper alignment with the rifle.

## Disposal Instructions

- **Do not dispose of the riflescope in regular household waste.** Follow local regulations for the disposal of electronic and optical devices.
- **If the riflescope is damaged beyond repair,** consult local waste management services for guidance on proper disposal methods.
- **Recycling:** If possible, recycle components of the riflescope according to local recycling guidelines to minimize environmental impact.

## Contact Information for Further Support

For any questions or concerns regarding the 3-27x56 PM II High Power Riflescope, please refer to the designated EUbased contact for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your riflescope. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)