

5-45x56 PM II High Power - 5-45x56 PM II High Power LP LRR-MIL 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 5-45×56 PM II High Power is a professional-grade precision optic that merges a high-performance rifle scope with spotting-scope capability. Designed for observation and ultra-long-range engagement, its enormous 9× zoom range (5-45×) makes it equally at home on reconnaissance, match, or tactical platforms where both identification and shot-making accuracy are required.

Engineered for extreme clarity and reach, the 56 mm objective delivers excellent light gathering while the optical system maintains a large usable field of view across the entire zoom range — allowing fast situational awareness at low magnification and razor-sharp detail at high power. The reticle sits in the first focal plane, so hold-offs and subtensions remain precise at any magnification. The model features robust, lockable turrets with fine 0.1 mrad click values and very large usable internal adjustment ranges tailored for extreme-range correction.

Built on a rugged 34 mm main tube, the High Power is constructed for demanding environments: it is fully weatherproof, fogproof and shock-resistant. Despite its long reach, the design balances mechanical strength with practical ergonomics for field use.

Standout Features

- Exceptional 5-45× magnification range for combined observation and precision shooting
- Large 56 mm objective for outstanding light transmission and image resolution
- First focal plane reticle for accurate ranging and holdover at any magnification
- Precision turrets with 0.1 mrad click value and extensive elevation/windage adjustment range
- Side/parallax adjustment for crisp focus from mid-range to extreme distances
- High optical transmission (~90%) and illuminated reticle options for low-light operations
- Robust 34 mm tube, weatherproof and built for professional use

Key Specifications

- Magnification: 5-45×
- Objective diameter: 56 mm
- Main tube diameter: 34 mm
- Field of view: approx. 7.8-0.9 m @ 100 m
- Exit pupil: approx. 8.8-1.2 mm
- Eye relief: 90 mm
- Length: approx. 434 mm
- Weight: approx. 1,130 g
- Reticle: FFP (various tactical reticle options)
- Click value: 0.1 mrad
- Elevation adjustment range: ~27 mrad (internal ~29.6 mrad)
- Windage adjustment range: ±6 mrad (internal ~21.1 mrad)

NO IMAGE
AVAILABLE

Parallax: adjustable

Illumination levels: multiple (illuminated reticle available)

Optical transmission: ~90%

Designed and manufactured to professional standards, the 5-45x56 PM II High Power is the go-to optic for operators and precision shooters who require unmatched versatility, extreme reach and uncompromising optical and mechanical performance.

Attributes

- Name: [5-45x56 PM II High Power LP LRR-MIL 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015995
- Mfr. No.: 666-911-41C-L7-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537036688

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 5-45x56 PM II High Power](#)
- [About Us](#)

Safety Instruction Guide for 5-45x56 PM II High Power

Introduction

Thank you for choosing the 5-45x56 PM II High Power riflescope. This product is designed for professional use, offering exceptional performance in various conditions. To ensure safe and effective use of this optical device, please read and follow the safety guidelines outlined in this manual.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by adhering to all guidelines and recommendations. This product is designed to meet EU safety standards.
- **Enhanced Recalls:** Stay informed about any recalls. If you receive a recall notice, please follow the instructions provided.
- **Online Shopping:** If purchased online, confirm that the seller complies with EU safety requirements.
- **Special Consumer Focus:** Take special care when using this product around vulnerable groups, including children. Ensure they do not handle the device without supervision.
- **EU Contact Point:** For any safety inquiries, use the contact points provided by the manufacturer.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates regarding product safety and potential hazards.

Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use protective eyewear when using the riflescope, especially during shooting activities.
- **Handle with Care:** The riflescope is built to be robust but can be damaged if dropped or mishandled. Always handle it with care.
- **Weather Conditions:** While the riflescope is weatherproof, avoid exposing it to extreme weather conditions for prolonged periods.
- **Maintenance:** Regularly inspect the riflescope for any signs of damage or wear. Do not use if damaged.
- **Storage:** Store the riflescope in a cool, dry place when not in use. Avoid leaving it in direct sunlight or high humidity.

Instructions for Installation and Usage

1. Installation:

- Ensure that your rifle is unloaded before installing the riflescope.
- Follow the manufacturer's instructions for mounting the riflescope securely to the rifle.
- Check that the riflescope is level and properly aligned before tightening the mount.

2. Usage:

- Adjust the magnification settings according to your observation needs.
- Use the side/parallax adjustment to ensure a clear focus at your intended shooting distance.
- Familiarize yourself with the reticle and its features for accurate ranging and holdover.
- Always ensure that the area is safe and clear of obstructions before taking a shot.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the riflescope in accordance with local regulations. Do not dispose of it with regular household waste.

- **Recycling:** If possible, recycle the product or its components to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the 5-45x56 PM II High Power riflescope, please refer to the manufacturer's customer service channels for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk