

3-18x42 Meta, 1.FP - 3-18x42 Meta 1.FP SBX 0.1 mrad cw DT23 LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Introducing the new 3-18x42 META (1. BE) — a groundbreaking configuration that combines cutting-edge optics, precision engineering, and a bold new aesthetic to set a new benchmark in long-range performance. Built with hunters and sport shooters in mind, this model redefines what a high-end scope can deliver.

Key Features

Innovative SBX reticle specifically engineered for maximum targeting accuracy across a wide range of shooting scenarios.

First focal plane (FFP): the reticle scales accurately with any magnification level — ensuring flawless target acquisition whether zoomed in or out.

Completely redesigned housing and control turrets: compact, robust and ergonomically refined for intuitive operation in any field condition.

Proven high-durability turrets tested under the harshest conditions — delivering unwavering reliability when it matters most.

Optimized dioptre adjustment: now even better suited for use with auxiliary sighting devices, enabling seamless transition from eyepiece to tube.

Equipped with a tactile magnification ring (TMR) specially built to accommodate the S&B Throw Lever — making rapid zoom changes effortless.

Supplied with rugged Tenebraex lens covers to protect both objective and ocular lenses under all conditions.

NO IMAGE
AVAILABLE

Versatility Unleashed Whether you're stalking game deep in the wilderness or engaging targets in competitive mid-range dynamic routines, the 3-18x42 META (1. BE) handles it all. It builds on a proven legacy and adds vital innovations that make it indispensable for demanding users.

Attributes

- Name: [3-18x42 Meta 1.FP SBX 0.1 mrad cw DT23 LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016020
- Mfr. No.: 158-811-332-R1-H1B03
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070767

Table of Contents

- Startpage
- Safety Instruction Guide for the 318x42 META (1. BE) Rifle Scope
- About Us

Safety Instruction Guide for the 318x42 META (1. BE) Rifle Scope

Introduction

Thank you for choosing the 318x42 META (1. BE) Rifle Scope. This guide provides essential safety information to ensure the safe and effective use of your new product. Please read this guide carefully before using the scope.

General Safety Guidelines

To ensure your safety and the safety of others, please follow these general guidelines:

- Always handle the rifle scope with care and avoid dropping it.
- Do not look directly at the sun through the scope, as it can cause permanent damage to your eyes.
- Ensure that the scope is mounted securely to your firearm before use.
- Keep the scope clean and free from obstructions to maintain optimal performance.
- Store the scope in a dry and safe place when not in use to prevent damage.
- Follow all local laws and regulations regarding the use of firearms and rifle scopes.

Specific Safety Precautions for Use

To avoid potential hazards while using the 318x42 META (1. BE) Rifle Scope, please observe the following precautions:

- Do not modify the scope or its components in any way.
- Always use the scope in accordance with the manufacturer's instructions.
- Ensure that the scope is used only by individuals who are trained in firearm safety and operation.
- Be mindful of your surroundings and ensure that the area is clear of people and animals before aiming and shooting.
- Use appropriate eye protection while shooting.

Instructions for Installation and Usage

Follow these steps to correctly install and use your rifle scope:

Installation

1. Mounting:

- Select a suitable mounting base compatible with your firearm.
- Securely attach the scope to the mounting base using the provided screws or clamps.
- Ensure that the scope is level and aligned with the barrel of the firearm.

2. Diopter Adjustment:

- Adjust the diopter setting to suit your eyesight. Look through the scope and turn the diopter ring until the reticle appears sharp and clear.

3. Zeroing the Scope:

- Set up a target at a known distance.
- Fire a group of shots and observe where the shots land in relation to the target.
- Adjust the windage and elevation turrets accordingly to align the reticle with the point of impact.

Usage

1. Adjusting Magnification:

- Use the tactile magnification ring to adjust the zoom level as needed for your shooting scenario.

2. Using the Reticle:

- The SBX reticle is designed for precision targeting. Familiarize yourself with its features and how it scales with magnification.

3. Maintaining Focus:

- Ensure that your eye is positioned correctly behind the eyepiece for optimal clarity and comfort.

Disposal Instructions

When it comes time to dispose of your rifle scope, please follow these guidelines:

- Do not dispose of the scope in regular household waste.
- Contact your local waste management authority for information on proper disposal methods for optical and electronic equipment.
- If the scope is damaged or no longer functional, consider recycling components where possible.

Contact Information for Further Support

For any safety inquiries or further assistance regarding your rifle scope, please refer to the manufacturer's website or customer support resources. It is important to have a reliable point of contact for addressing any concerns related to product safety and performance.

Conclusion

Your safety is our priority. By following the guidelines in this instruction manual, you can ensure a safe and enjoyable experience with your 318x42 META (1. BE) Rifle Scope. Always prioritize safety and adhere to local regulations when using firearms and related equipment. Thank you for choosing our product, and happy shooting!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk