

6-36x56 CM II High Performance - 6-36x56 CM II High Performance LPI TR²ID 0,05 mrad cw MT II MTC LT / DT II+ ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 6-36x56 CM II High Performance from Schmidt and Bender is a high-end precision riflescope engineered for medium to extreme long-range engagement. With a magnification range of 6–36x and a large 56 mm objective lens, it delivers outstanding clarity, resolution, and flexibility across demanding shooting scenarios. Its optical design provides an exceptionally large field of view for a scope in this class — even at the lowest magnification (6x), it outperforms many 5–25x scopes in terms of visual coverage. Advanced coatings ensure light transmission well over 90 %, enabling superb image brightness and contrast in challenging lighting conditions.

NO IMAGE
AVAILABLE

Built on a 34 mm main tube, the scope is compact yet robust, with a length of approximately 390 mm and weight around 940 to 995 g, depending on configuration. Eye relief is generous at 90 mm, ensuring comfortable and safe use across rifle platforms. The turret system offers very large internal adjustment ranges (over 40 mrad, approx. 395 cm elevation at 100 m) and fine click values (e.g., 0.5 cm/100 m), making it well suited for precision ballistic correction at long distances. Side parallax adjustment and the integrated LPI system (illumination integrated into the parallax knob) enhance ease of use and compatibility for left-hand shooters.

Key Specifications:

Magnification: 6–36x

Objective Lens Diameter: 56 mm

Main Tube Diameter: 34 mm

Field of View (approx.): 7.3–1.3 m @100 m

Exit Pupil: approx. 8.3–1.6 mm

Eye Relief: 90 mm

Click Value: approx. 0.5 cm @100 m (configuration-dependent)

Internal Elevation Adjustment: approx. 395 cm @100 m

Weight: approx. 940–995 g

Transmission: >90 %

Tube Diameter: 34 mm

Length: approx. 390 mm

Reticle and Turret Configurations: Various high-end match/tactical setups available

This scope is designed for marksmen, competition shooters, and professionals who demand the highest optical clarity, mechanical robustness, and long-range capability from one flagship optic.

Attributes

- Name: [6-36x56 CM II High Performance LPI TR²ID 0,05 mrad cw MT II MTC LT / DT II+ ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016036
- Mfr. No.: 16A-911-432-I6-H6
- Colour: Black
- Delivery weight: 2kg

- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070552

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 6-36x56 CM II High Performance Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 6-36x56 CM II High Performance Riflescope

Introduction

Thank you for choosing the 6-36x56 CM II High Performance Riflescope by Schmidt and Bender. This guide provides essential safety instructions to ensure your safe and effective use of the product. Please read this guide carefully before using the riflescope to avoid potential hazards and ensure optimal performance.

General Safety Guidelines

- **Product Safety:** Ensure safe handling and use of the riflescope. This product is designed for precision shooting and should be treated with care.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. If a recall occurs, follow the instructions provided for safe return or remedy.
- **Online Shopping:** When purchasing online, ensure that the seller meets all safety requirements and provides clear product information.
- **Special Consumer Focus:** This product is intended for adult users. Keep it out of reach of children and ensure that only responsible individuals operate the riflescope.
- **EU Contact Point:** For safety inquiries, refer to the information provided by your retailer or manufacturer.
- **Rapid Alerts:** Monitor updates regarding product safety on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Avoid Eye Injuries:** Always use appropriate eye protection when using the riflescope, especially during shooting activities.
- **Check for Damage:** Before each use, inspect the riflescope for any signs of damage. Do not use a damaged scope.
- **Proper Mounting:** Ensure the riflescope is securely mounted to the firearm before use. Loose mounting can lead to misalignment and potential accidents.
- **Keep Away from Children:** This product is not a toy. Ensure that children do not have access to the riflescope or the firearm it is mounted on.
- **Follow Local Laws:** Adhere to all local laws and regulations regarding the use of firearms and optics.
- **Safe Handling:** Always treat firearms as if they are loaded. Keep the muzzle pointed in a safe direction at all times.

Instructions for Installation and Usage

- **Installation:**

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Attach the riflescope to the firearm using the appropriate mounting rings or base.
3. Tighten all screws securely without overtightening, which may damage the scope or firearm.
4. Confirm that the riflescope is aligned with the barrel for accurate shooting.

- **Usage:**

1. Adjust the magnification to your desired level before aiming.
2. Use the parallax adjustment to ensure a clear image at your shooting distance.
3. Make adjustments to the turret system as needed for elevation and windage.
4. Maintain a proper shooting stance and ensure a steady grip on the firearm.
5. After use, cover the riflescope with a lens cap to protect it from dust and damage.

Disposal Instructions

- **Environmental Considerations:** Dispose of the riflescope responsibly. Do not dispose of it in regular household waste.
- **Recycling:** If possible, recycle the product according to local regulations for electronic waste.
- **Contact Local Authorities:** For specific disposal instructions, contact local waste management authorities.

Contact Information for Further Support

For any questions or concerns regarding the 6-36x56 CM II High Performance Riflescope, please refer to the retailer or manufacturer for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk