

# Ckye-Pod Gen 3 - MDT Accessories - Ckye-Pod Gen 3 - Double Pull - AP Throw Lever - BLK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

The MDT CKYE-POD Gen 2 Double Pull is a high-precision bipod engineered for competitive shooters and long-range marksmen who demand maximum stability and control. Its dual-pull mechanism enables fine adjustments, while its rugged construction and advanced features make it ideal for any serious shooting setup.

## Key Features

**Dual-Pull Height Adjustment** Each leg can be adjusted independently: pull both legs to extend or shorten them, allowing for precise, balanced support.

**Three Leg Positions** Legs lock into three settings: folded for compact storage, angled for barricade use, and fully extended for maximum height.

**Broad Height Range** Provides a generous adjustment span to accommodate various shooting angles and heights.

**Wide Cant Range** Offers up to  $\pm 170^\circ$  of cant to help maintain a level rifle on uneven terrain.

**360° Pan Movement** Smooth full-circle panning capability allows for dynamic target tracking. In some versions, pan tension can be customized or locked.

**Integrated Barricade Rest** Helps stabilize the rifle when shooting off barriers or uneven surfaces.

**Secure Footing Options** Equipped with spiked feet for firm grip on rough terrain; can be swapped for rubber feet if desired.

**Premium Materials and Durability** Machined from high-grade, hard-anodized aluminum to deliver strength without unnecessary weight.

**Independent Tension Control** Separate adjustment knobs for the pan and cant allow full customization of how easily the bipod moves.

**Refined Ergonomics** Smooth and deburred surfaces ensure a comfortable grip and reduce wear on gear.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT Accessories - Ckye-Pod Gen 3 - Double Pull - AP Throw Lever - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2016239
- Mfr. No.: 114150-BLK
- Colour: Black
- Material: Anodized Aluminum
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm

- UPC: 990482710644

# Table of Contents

- [Startpage](#)
- [CkyePod Gen 3 MDT Accessories Safety Instruction Guide](#)
- [About Us](#)

# CkyePod Gen 3 MDT Accessories Safety Instruction Guide

## Introduction

Thank you for choosing the CkyePod Gen 3 Double Pull AP Throw Lever BLK. This product is designed for competitive shooters and longrange marksmen, providing maximum stability and control. To ensure safe and effective use of the bipod, please read and follow these safety instructions carefully.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the CkyePod Gen 3 by following all guidelines provided. This product is designed to meet EU safety standards.
- **Enhanced Recalls:** Stay informed about any recall notices or safety updates related to this product. Check the EU Safety Gate platform regularly.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the product packaging for the EUbased contact information.
- **Rapid Alerts:** Be aware of the Safety Gate system for updates on unsafe products.

## Specific Safety Precautions for Use

- **Inspection Before Use:** Always inspect the bipod for any signs of damage or wear before each use. Do not use if any parts are broken or missing.
- **Stable Setup:** Ensure the bipod is set up on a stable surface to avoid tipping or falling during use.
- **Weight Limit:** Do not exceed the weight limit specified by the manufacturer. Check the product specifications for details.
- **Proper Adjustment:** Adjust the bipod legs carefully and ensure they are locked in place before use.
- **Avoid Overextension:** Do not overextend the legs beyond the maximum height to prevent instability.
- **Use of Spiked Feet:** When using spiked feet, ensure they are securely attached and appropriate for the terrain.
- **Shooting Position:** Always maintain a safe shooting position and keep the muzzle pointed in a safe direction.

## Instructions for Installation and Usage

1. **Unpacking:** Carefully remove the CkyePod Gen 3 from its packaging. Check for all components.
2. **Leg Adjustment:**
  - Pull both legs down to extend or shorten them as needed.
  - Ensure each leg is adjusted independently for balanced support.
3. **Locking Mechanism:**
  - Lock the legs into one of the three settings: folded, angled, or fully extended.
  - Confirm that the legs are securely locked before using the bipod.
4. **Panning and Canting:**
  - Use the independent tension control knobs to adjust pan and cant settings as desired.
  - Test the movement to ensure smooth operation.
5. **Integrated Barricade Rest:**
  - When shooting off barriers, utilize the integrated barricade rest for stabilization.
6. **Foot Replacement:**
  - If desired, swap spiked feet for rubber feet for different terrain conditions.
  - Ensure feet are correctly attached before use.

## Disposal Instructions

- **Environmental Responsibility:** Dispose of the CkyePod Gen 3 in accordance with local regulations regarding electronic waste and materials.
- **Recycling:** If possible, recycle the product and its packaging materials.
- **Hazardous Materials:** Do not dispose of in regular household waste. Follow local guidelines for hazardous waste disposal.

## Contact Information for Further Support

For any questions or concerns regarding the safety and use of the CkyePod Gen 3, please refer to the product packaging for contact information.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the CkyePod Gen 3!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)