

Lever Action Triggers (Pull weight is not adjustable) - Marlin Lever Action Trigger for Model 336, 1894, and 1895 - 3-3.5lb Pull - Nickel

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The Timney lever-action trigger for Marlin models 336, 1894, and 1895 is engineered to deliver the innovation, reliability, and consistency Timney is known for. Featuring a durable nickel-plated finish, this drop-in trigger is designed to enhance trigger feel and overall shooting performance. With a factory-set, non-adjustable pull weight of 3 to 3.5 pounds, it also eliminates the well-known trigger flop, providing the crisp, smooth break shooters expect from a Timney trigger.



Each lever-action trigger kit includes the complete trigger assembly, hammer assembly, hammer strut, and hammer spring, ensuring a straightforward installation with no gunsmith required.

Features:

- Factory-set pull weight of 3 to 3.5 lb
- Non-adjustable, single-stage design
- Improves accuracy and trigger control
- Nickel-plated finish for durability and corrosion resistance
- True drop-in installation, no gunsmith needed
- Hand-assembled, tested, and calibrated

Attributes

- Name: [Marlin Lever Action Trigger for Model 336, 1894, and 1895 - 3-3.5lb Pull - Nickel](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016504
- Mfr. No.: Lever Gun - 16
- Delivery weight: 0.09kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 191mm
- UPC: 081950538010

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Lever Action Triggers](#)
- [About Us](#)

Safety Instruction Guide for Lever Action Triggers

Introduction

Thank you for choosing the Timney Lever Action Trigger for Marlin models 336, 1894, and 1895. This guide provides essential safety information, installation instructions, and usage guidelines to ensure your safety and the optimal performance of your trigger. Please read this manual carefully before use.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use in accordance with EU regulations. Ensure you understand all safety instructions before installation and use.
- **Enhanced Recalls:** In the unlikely event of a product recall, you will be notified through standardized notices. Please keep your purchase information for reference.
- **Online Shopping:** If purchased online, ensure the platform complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, always refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Stay informed about product safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Trigger Weight:** The pull weight is factoryset at 3 to 3.5 pounds. Do not attempt to adjust this weight.
- **NonAdjustable Design:** This trigger is a singlestage design. Ensure you understand how it operates before use.
- **Installation:** Follow the installation instructions carefully. Improper installation can lead to unsafe operation.
- **Handling:** Always treat your firearm as if it is loaded. Keep the muzzle pointed in a safe direction at all times.
- **Maintenance:** Regularly inspect your trigger and firearm for wear and tear. Do not use if any parts appear damaged.
- **Environment:** Use your firearm in a safe and controlled environment. Avoid using it in crowded or unsafe areas.

Instructions for Installation and Usage

Installation Instructions

1. **Preparation:** Ensure the firearm is unloaded and the area is safe.
2. **Disassemble the Firearm:** Follow the manufacturer's instructions for disassembling your Marlin model 336, 1894, or 1895.
3. **Remove the Old Trigger:** Carefully detach the existing trigger assembly from your firearm.
4. **Install the New Trigger:**
 - Align the Timney leveraction trigger with the existing mounting points.
 - Securely attach the trigger assembly, ensuring all components fit correctly.
5. **Reassemble the Firearm:** Follow the manufacturer's guidelines to reassemble your firearm.
6. **Function Test:** Before use, conduct a function test to ensure the trigger operates correctly. This includes checking the trigger pull and ensuring there is no trigger flop.

Usage Instructions

- Always ensure your firearm is pointed in a safe direction.
- Engage the safety mechanism when not in use.

- Familiarize yourself with the trigger's operation before firing.
- Only use ammunition that is compatible with your firearm model.

Disposal Instructions

- Dispose of the product responsibly.
- Follow local regulations for the disposal of firearm components.
- Do not throw away in regular household waste.

Contact Information for Further Support

For any questions or support regarding the Timney Lever Action Trigger, please refer to the contact information provided by your retailer or visit the manufacturer's website for additional resources.

Thank you for prioritizing safety and compliance while using your Timney Lever Action Trigger. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk