

## **GLOCK TRIGGERS (Pull weight 3lb) - GLOCK GEN 3: G17, G17L, G19, G22, G23, G24, G34, G35 GLOCK GEN 4: G17, G19, G22, G23, G34,G35**

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

ULTIMATE BUILDER'S KIT FOR GLOCK GEN 3-4 Starting with Timney's Alpha Competition trigger platform, the Ultimate Builder's Kit (UBK) for Glock Gen 3-4 also includes a striker, striker spring, connector, safety plunger, and safety plunger spring. The striker, made from stainless steel, matches the geometry of the Alpha Competition sear, while the safety plunger matches the geometry of the Alpha Competition trigger bar and is made from tool steel. All Ultimate Builder's Kit parts are heat treated and NP3 coated for durability and increased lubricity. With a factory set pull weight of 2.5 to 3 pounds, the Timney Alpha Competition UBK trigger kit answers the call for a trigger that maintains the feel of a Timney Trigger all while upholding the dependability of the Glock system. Through an improved trigger design, Timney has created an upgraded trigger that retains the reliability of the Glock while offering a lighter pull weight and a smoother feel from the UBK. SPECIFICATIONS: COMPATIBLE WITH: Medium frame, double stack Gen 3-4 PULL WEIGHT: 2.5 - 3lbs. STRIKER: Stainless steel with NP3 coating CONNECTOR: Stainless steel with NP3 coating SAFETY PLUNGER: Tool steel with NP3 coating TRIGGER ASSEMBLY: Alpha Competition Gen 3-4 trigger

NO IMAGE  
AVAILABLE

### **Attributes**

- Name: [GLOCK GEN 3: G17, G17L, G19, G22, G23, G24, G34, G35 GLOCK GEN 4: G17, G19, G22, G23, G34,G35](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016547
- Mfr. No.: ALPHA GLOCK 3-4 - SILVER
- Delivery weight: 1kg
- Shipping height: 38mm
- Shipping width: 89mm
- Shipping length: 191mm
- UPC: 081950613717

# Table of Contents

- [Startpage](#)
- [GLOCK TRIGGERS Safety Instruction Guide](#)
- [About Us](#)

# GLOCK TRIGGERS Safety Instruction Guide

## Introduction

Thank you for choosing the GLOCK TRIGGERS Ultimate Builder's Kit (UBK) for Glock Gen 34. This guide provides essential safety information and instructions to ensure the safe use and maintenance of your product. Please read this guide carefully before installation and use to ensure compliance with safety standards.

## General Safety Guidelines

- Ensure that you are familiar with the basic operation of GLOCK firearms before using this product.
- Always treat the firearm as if it is loaded, even if you believe it to be unloaded.
- Store all firearm accessories, including the Ultimate Builder's Kit, out of reach of children and unauthorized users.
- Use the product only with compatible Glock models as specified in the product description.
- Regularly inspect the product for wear and damage; do not use if any parts are worn or damaged.
- Follow all local, state, and federal laws regarding firearm modifications and usage.

## Specific Safety Precautions for Use

- **Pull Weight:** The trigger has a factory set pull weight of 2.5 to 3 pounds. Ensure that you are comfortable with this pull weight before use.
- **Installation:** Improper installation can lead to malfunction. Always follow the installation instructions carefully.
- **Testing:** After installation, perform a function test in a safe environment before using the firearm in a live situation.
- **Environment:** Avoid using the trigger in wet or extreme temperature conditions that could affect its performance.
- **Modification:** Do not modify any parts of the trigger or kit beyond what is specified in the instructions.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation, including a punch tool and a screwdriver.

### 2. Installation Steps:

- Remove the slide from the Glock firearm according to the manufacturer's instructions.
- Carefully remove the existing trigger assembly and components.
- Install the new striker, striker spring, connector, safety plunger, and safety plunger spring as per the provided instructions.
- Attach the Alpha Competition trigger assembly to the firearm.

### 3. Function Testing:

- After installation, perform a function test:
  - Ensure that the trigger resets properly.
  - Check for any unusual resistance or binding.
  - Confirm that the safety features are functioning correctly.

### 4. Usage:

- When using the firearm, maintain proper shooting stance and grip.
- Always be aware of your surroundings and ensure a safe shooting environment.
- Do not engage in rapid fire unless trained to do so safely.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local regulations.
- If you need to dispose of the trigger or any components, consult local waste management guidelines for safe disposal of metal and plastic materials.
- Do not discard in regular household waste.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the GLOCK TRIGGERS Ultimate Builder's Kit, please refer to the manufacturer's contact information provided on the product packaging or official website.

## **Conclusion**

By following these safety guidelines and instructions, you can ensure the safe and effective use of the GLOCK TRIGGERS Ultimate Builder's Kit for Glock Gen 34. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)