

# **GLOCK TRIGGERS (Pull weight 3lb) - GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41**

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Caliber 10mm Auto and/or .45 Auto, Glock large-frame pistols Gen 3-4 including models G20, G21, G29, G30, G40, and/or G41. Alpha Red Competition trigger, factory-set with a fixed pull weight of 3 lb / 1,362 g. Code: Alpha Glock 3-4 Large - Red, Timney USA.

NO IMAGE  
AVAILABLE

## **Attributes**

- Name: [GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016553
- Mfr. No.: Alpha Glock 3-4 - Large-Gold
- Delivery weight: 1kg
- Shipping height: 38mm
- Shipping width: 89mm
- Shipping length: 191mm
- UPC: 081950753697

# Table of Contents

- Startpage
- GLOCK TRIGGERS Safety Instruction Guide
- About Us

# GLOCK TRIGGERS Safety Instruction Guide

## Introduction

Thank you for choosing the GLOCK TRIGGERS with a pull weight of 3lb, compatible with GLOCK Gen 34 largeframe pistols including models G20, G21, G29, G30, G40, and G41. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure you are familiar with the operation and safety features of your GLOCK pistol before using the trigger.
- Store your trigger and firearm in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your trigger for any signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Do not attempt to modify the trigger or any other firearm component unless you are a qualified professional.

## Specific Safety Precautions for Use

- Use the trigger only with compatible GLOCK Gen 34 models (G20, G21, G29, G30, G40, and G41).
- Ensure that the trigger is installed correctly according to the instructions provided in this guide.
- Avoid using the firearm in situations where you may be distracted or under stress.
- Never point the firearm at anything you do not intend to shoot.
- Wear appropriate eye and ear protection when using your firearm.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory trigger according to your GLOCK pistol's user manual.
- Carefully install the Alpha Red Competition trigger by following these steps:
  - Align the trigger with the trigger bar.
  - Ensure that all pins and components are properly seated.
  - Reassemble the firearm, ensuring all parts are secure.
- Test the trigger to ensure it operates correctly before using the firearm.

### 2. Usage:

- Confirm that the firearm is in a safe condition before handling.
- Practice proper shooting stance and grip.
- Gently squeeze the trigger to avoid jerking, which may affect accuracy.
- Always follow safe firearm handling practices during use.

## Disposal Instructions

- Dispose of the trigger in accordance with local regulations regarding hazardous materials.
- If the trigger is damaged or no longer usable, consider returning it to the manufacturer for proper disposal.
- Do not dispose of the trigger in regular household waste.

## **Contact Information for Further Support**

For any inquiries regarding safety, installation, or usage, please refer to the manufacturer's support resources.

## **Conclusion**

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your GLOCK TRIGGERS. Always prioritize safety and responsibility when handling firearms. Thank you for your commitment to safe firearm practices.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)