

GLOCK TRIGGERS (Pull weight 3lb) - GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Caliber 10mm Auto and/or .45 Auto, Glock large-frame pistols Gen 3-4 including models G20, G21, G29, G30, G40, and/or G41. Alpha Red Competition trigger, factory-set with a fixed pull weight of 3 lb / 1,362 g. Code: Alpha Glock 3-4 Large - Red, Timney USA.



Attributes

- Name: [GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016556
- Mfr. No.: Alpha Glock 3-4 - Large-Green
- Delivery weight: 1kg
- Shipping height: 38mm
- Shipping width: 89mm
- Shipping length: 191mm
- UPC: 081950753703

Table of Contents

- Startpage
- GLOCK TRIGGERS Safety Instruction Guide
- About Us

GLOCK TRIGGERS Safety Instruction Guide

Introduction

Thank you for choosing the GLOCK TRIGGERS designed for GLOCK Gen 34 models (G20, G21, G29, G30, G40, and G41). This guide provides essential safety instructions to ensure the safe use and handling of your trigger. Please read this document thoroughly before installation and use.

General Safety Guidelines

- Ensure that the trigger is compatible with your specific GLOCK model before installation.
- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the trigger and firearm securely to prevent unauthorized access, especially from children.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Report any unsafe products or accidents to the relevant authorities immediately.

Specific Safety Precautions for Use

- The GLOCK TRIGGERS have a fixed pull weight of 3 lb (1,362 g). Ensure you are familiar with this pull weight before use.
- Do not attempt to modify the trigger or its components, as this may compromise safety and performance.
- Always wear appropriate eye and ear protection when using the firearm.
- Avoid using the firearm in wet or humid conditions to prevent rust and corrosion.
- Be aware of your surroundings and ensure a clear shooting area before firing.
- Do not use the trigger if you notice any irregularities or malfunctions.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and the magazine is removed.
- Carefully disassemble the GLOCK according to the manufacturer's instructions.
- Remove the existing trigger and replace it with the GLOCK TRIGGERS.
- Follow specific installation instructions provided by the manufacturer if available.
- Reassemble the firearm and perform a function check to ensure proper installation.

2. Usage

- Familiarize yourself with the trigger's pull weight and responsiveness before live firing.
- Practice dry firing in a safe environment to get accustomed to the trigger.
- Always ensure the firearm is pointed in a safe direction when handling.
- After use, clean and maintain the trigger and firearm according to the manufacturer's recommendations.

Disposal Instructions

- Dispose of any defective or damaged triggers in accordance with local regulations.
- Do not dispose of the trigger in regular household waste. Instead, consult local waste management authorities for safe disposal methods.

Contact Information for Further Support

For any safety inquiries or further information regarding the GLOCK TRIGGERS, please consult the manufacturer's website or contact their customer support service.

Thank you for prioritizing safety and compliance while using your GLOCK TRIGGERS. Always remember that responsible handling and usage are key to ensuring a safe shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk