

GLOCK TRIGGERS (Pull weight 3lb) - GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Caliber 10mm Auto and/or .45 Auto, Glock large-frame pistols Gen 3-4 including models G20, G21, G29, G30, G40, and/or G41. Alpha Red Competition trigger, factory-set with a fixed pull weight of 3 lb / 1,362 g. Code: Alpha Glock 3-4 Large - Red, Timney USA.



Attributes

- Name: [GLOCK GEN 3-4: 20, 21, 29, 30, 40 and 41](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016557
- Mfr. No.: Alpha Glock 3-4 - Large-Orange
- Delivery weight: 1kg
- Shipping height: 38mm
- Shipping width: 89mm
- Shipping length: 191mm
- UPC: 081950753727

Table of Contents

- Startpage
- GLOCK TRIGGERS Safety Instruction Guide
- About Us

GLOCK TRIGGERS Safety Instruction Guide

Introduction

Thank you for choosing the GLOCK TRIGGERS (Pull weight 3lb) designed for GLOCK GEN 34 models, including G20, G21, G29, G30, G40, and G41. This guide provides essential safety instructions, guidelines for usage, installation procedures, and disposal instructions to ensure your safety and the optimal performance of your product.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure that the firearm is unloaded before installing or adjusting the trigger.
- Familiarize yourself with your specific GLOCK model and its operation manual.
- Store the product in a secure location, away from children and unauthorized users.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- Use only compatible GLOCK models as specified to avoid safety hazards.
- Report any unsafe product incidents or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Wear appropriate protective gear, including eye protection, when handling or using firearms.
- Do not modify the trigger or any firearm components beyond manufacturer specifications.
- Ensure that the trigger pull weight of 3 lb / 1,362 g is suitable for your shooting style and experience level.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow all local laws and regulations regarding firearm use and modifications.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools for installation (screwdriver, etc.).

2. Installation Steps:

- Remove the slide from the GLOCK firearm according to the manufacturer's instructions.
- Carefully remove the existing trigger assembly, following the specific model's guidelines.
- Install the Alpha Red Competition trigger by reversing the removal steps.
- Ensure all components are securely fitted and functioning correctly.

3. PostInstallation Check:

- Test the trigger functionality without ammunition to ensure proper operation.
- Verify that the pull weight is consistent and within the specified 3 lb / 1,362 g.

4. Usage:

- Always follow safe shooting practices.
- Regularly practice with the new trigger to become accustomed to its pull weight.

Disposal Instructions

- Dispose of the trigger and any associated components in accordance with local regulations.
- Do not dispose of in regular household waste. Instead, use designated disposal facilities for firearms or firearm parts.
- Ensure that all parts are rendered inoperable before disposal.

Contact Information for Further Support

For any questions or concerns regarding the GLOCK TRIGGERS, please refer to the manufacturer's customer support resources or your local GLOCK dealer.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your GLOCK TRIGGERS. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk