

HOWA 1500 (Pull Weight adjustable 1.5-4lb) - HOWA 1500, BLACK **3lb** W/Safety

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Adjustable single-stage trigger Timney Model 609 for Howa 1500.
Drop-in replacement trigger for the Howa 1500 featuring an aluminum housing.

Fully adjustable pull weight from 1.5 lbs to 4 lbs.



Attributes

- Name: [HOWA 1500, BLACK **3lb** W/Safety](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016602
- Mfr. No.: 609
- Delivery weight: 0.09kg
- Shipping height: 33mm
- Shipping width: 84mm
- Shipping length: 180mm
- UPC: 081950609000

Table of Contents

- [Startpage](#)
- [HOWA 1500 Trigger Safety Instruction Guide](#)
- [About Us](#)

HOWA 1500 Trigger Safety Instruction Guide

Introduction

Thank you for choosing the HOWA 1500 adjustable trigger. This guide provides essential safety instructions to ensure the safe use and maintenance of your trigger. It is important to follow these guidelines to prevent accidents and ensure compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat firearms and their components as if they are loaded.
- Store the trigger and firearms in a safe and secure location, out of reach of children and unauthorized users.
- Regularly inspect the trigger for any signs of wear or damage before each use.
- Do not modify the trigger without consulting a qualified gunsmith.
- Follow all local laws and regulations regarding firearm use and ownership.

Specific Safety Precautions for Use

- Ensure that the firearm is pointed in a safe direction at all times when adjusting the trigger.
- Keep fingers off the trigger until ready to shoot.
- Use proper eye and ear protection when operating firearms.
- Do not use the trigger if you are under the influence of drugs or alcohol.
- Be aware of your surroundings and ensure that the shooting area is clear of people and obstacles.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the old trigger assembly by following the manufacturer's instructions for disassembly.
- Carefully install the Timney Model 609 trigger into the Howa 1500, ensuring it is properly seated.
- Adjust the pull weight according to your preference, following the adjustment instructions included with the trigger.
- Reassemble the firearm and perform a function check to ensure proper operation.

2. Usage

- Familiarize yourself with the trigger's functionality before using it in the field.
- Adjust the pull weight only when the firearm is unloaded and pointed in a safe direction.
- Regularly check the trigger adjustment to ensure it remains within the desired range of 1.5 lbs to 4 lbs.

Disposal Instructions

- Dispose of any defective or damaged triggers in accordance with local regulations.
- Do not throw away the trigger with regular household waste. Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the HOWA 1500 trigger, please consult the official Timney website or contact a qualified gunsmith. Always ensure you have the latest information regarding recalls and

safety updates by checking the EU's Safety Gate platform.

By following these safety instructions, you help ensure your safety and the safety of others while using the HOWA 1500 trigger. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk