

# **RUGER TRIGGERS W/Tang Safety (Pull weight adjustable 1.5-4lb) - RUGER AMERICAN RIMFIRE \*\*3lb\*\***

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Self-contained, 100% drop-in trigger is ready to install in your Ruger American Rifle® for an exceptionally smooth, crisp, trigger pull. Pull weight is factory set at crisp three pounds and you can set it yourself to any pull weight you'd like from 1.5 to 4 pounds. Lightweight 6061 T6 aluminum housing is anodized for extra durability. The trigger is CNC machined on the most cutting edge robotic machines available. The sear is EDM cut and Teflon-nickel coated for maximum lubricity. The whole unit has been designed for easy installation and manufactured using Timney's stringent specifications for a lifetime of trouble free service.



## **Attributes**

- Name: [RUGER AMERICAN RIMFIRE \\*\\*3lb\\*\\*](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016630
- Mfr. No.: 640R
- Delivery weight: 0.45kg
- Shipping height: 203mm
- Shipping width: 127mm
- Shipping length: 51mm
- UPC: 081950640201

# Table of Contents

- Startpage
- Safety Instruction Guide for RUGER TRIGGERS W/Tang Safety
- About Us

# Safety Instruction Guide for RUGER TRIGGERS W/Tang Safety

## Introduction

Thank you for choosing the RUGER TRIGGERS W/Tang Safety. This product is designed to enhance the performance of your Ruger American Rifle® with a smooth and adjustable trigger pull. Please read this safety instruction guide carefully to ensure safe installation and usage.

## General Safety Guidelines

- Always handle firearms with care and treat every firearm as if it is loaded.
- Ensure that the trigger is not adjusted or tampered with while the firearm is loaded.
- Only install the trigger in a safe and controlled environment, free from distractions.
- Keep the trigger and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- If you notice any issues, do not use the firearm and contact a qualified gunsmith for assistance.
- Always follow local laws and regulations regarding firearm modifications.

## Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing the trigger.
- Use protective eyewear and gloves during installation to prevent injury.
- Do not attempt to modify the trigger beyond the factory settings for pull weight.
- Be cautious when adjusting the pull weight; adjustments should only be made in small increments.
- Test the trigger in a safe environment after installation to ensure proper function.
- Always keep the muzzle pointed in a safe direction when handling the firearm.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools: a screwdriver and any other tools specified in the firearm's manual.

### 2. Installation:

- Remove the existing trigger from the Ruger American Rifle® by following the manufacturer's instructions.
- Carefully install the RUGER TRIGGERS W/Tang Safety in accordance with the following steps:
  - Align the trigger with the mounting points.
  - Secure the trigger using the screws provided, ensuring a snug fit.
- Adjust the pull weight according to your preference, setting it between 1.5 to 4 pounds.

### 3. Testing:

- Once installed, conduct a function check:
  - Ensure the trigger resets properly.
  - Verify that the safety mechanism functions as intended.
- If any issues arise, consult a qualified gunsmith.

### 4. Usage:

- Familiarize yourself with the new trigger pull weight before using the firearm in the field.
- Always maintain proper firearm safety practices during use.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local waste management regulations.
- If the trigger becomes damaged or is no longer functional, do not attempt to repair it. Dispose of it responsibly at a designated electronic waste facility.

## **Contact Information for Further Support**

For any safety inquiries or support regarding the RUGER TRIGGERS W/Tang Safety, please refer to the EUbased contact provided by the manufacturer.

## **Conclusion**

By following this safety instruction guide, you can ensure the safe and effective use of your RUGER TRIGGERS W/Tang Safety. Always prioritize safety and adhere to local regulations regarding firearms. Thank you for your attention to these important safety guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)