

## **WEATHERBY VANGUARD (Pull weight adjustable 1.5-4lb) - WEATHERBY VANGUARD 1500, NICKEL PLATED \*\*3lb\*\* W/Safety**

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

This single-stage replacement trigger for Weatherby Vanguard rifles delivers a clean, crisp break that enhances accuracy and shooting consistency. Fully adjustable and precision engineered, it is designed to help shooters achieve precise, repeatable shots.



The trigger features precision-machined and hardened internal components for maximum reliability and long-term performance. Pull weight is adjustable from 1.5 to 4 lbs, and sear engagement (creep) can be fine-tuned to personal preference. Locking nuts securely hold all adjustments in place. An integrated safety is included for dependable operation.

### **Attributes**

- Name: [WEATHERBY VANGUARD 1500, NICKEL PLATED \\*\\*3lb\\*\\* W/Safety](#)
- Manufacturer: [TIMNEY](#)
- Product no.: EU2016676
- Mfr. No.: 611-16
- Delivery weight: 0.07kg
- Shipping height: 15mm
- Shipping width: 79mm
- Shipping length: 107mm
- UPC: 081950611010

# Table of Contents

- [Startpage](#)
- [Weatherby Vanguard Trigger Safety Instruction Guide](#)
- [About Us](#)

# Weatherby Vanguard Trigger Safety Instruction Guide

## Introduction

Thank you for choosing the Weatherby Vanguard Trigger. This guide provides essential safety instructions and guidelines to ensure the safe use of your new trigger. Please read this manual carefully before installation and usage to maximize safety and performance.

## General Safety Guidelines

- Ensure the trigger is compatible with your specific Weatherby Vanguard rifle model.
- Always treat firearms and components as if they are loaded.
- Keep the trigger and firearm out of reach of children and unauthorized users.
- Use eye and ear protection when handling firearms.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Inspect the trigger and firearm for any signs of damage before use.
- Regularly check for updates on product recalls via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Pull Weight Adjustment:**
  - Adjust the pull weight only when the firearm is unloaded and pointed in a safe direction.
  - Do not exceed the recommended pull weight range of 1.5 to 4 lbs.
- **Sear Engagement (Creep) Adjustment:**
  - Make adjustments to the sear engagement only with the firearm unloaded.
  - Finetune adjustments gradually to avoid unintentional releases.
- **Locking Nuts:**
  - Ensure that all locking nuts are securely tightened after adjustments to prevent accidental changes during use.
- **Integrated Safety:**
  - Always engage the safety mechanism when the firearm is not in use.
  - Familiarize yourself with the safety operation before using the trigger.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing trigger according to the manufacturer's instructions.
- Install the Weatherby Vanguard Trigger by following these steps:
  - Align the trigger with the trigger housing.
  - Secure the trigger in place using the appropriate screws.
  - Reassemble the firearm as per the manufacturer's guidelines.

### 2. Adjusting Pull Weight:

- Locate the adjustment screw on the trigger.
- Use an appropriate tool to turn the screw clockwise to increase pull weight or counterclockwise to decrease pull weight.
- Test the pull weight after each adjustment to ensure it is within the safe range.

### **3. Sear Engagement Adjustment:**

- Identify the sear engagement adjustment screw.
- Adjust the screw carefully to achieve your preferred sear engagement.
- Always test the trigger function after making adjustments.

### **4. Safety Check:**

- After installation and adjustments, perform a safety check:
  - Ensure the firearm is unloaded.
  - Check that the safety mechanism functions correctly.
  - Test the trigger to confirm it operates as intended without any issues.

## **Disposal Instructions**

- Dispose of the trigger in accordance with local regulations.
- Do not dispose of the trigger in regular household waste.
- Contact local authorities or waste management services for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the Weatherby Vanguard Trigger, please refer to the manufacturer's official website or customer service for assistance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)