

One-Piece Mount 30mm, H25mm, 20MOA, nut

Versatile Compatibility: Ideal for both bolt-action rifles and AR-10 platforms.

Secure Mounting: Features adjustable steel QD (Quick Detach) safety levers compatible with all Picatinny and Weaver rails, including non-standard configurations.



Modular Design: Equipped with the ERATAC UNIVERSAL interface to easily accept add-ons like the Angle Cosine Indicator (SWK).

Battle-Proven Durability: Guaranteed 100% return-to-zero and recoil-proof performance, tested up to .50 BMG.

Premium Construction: CNC-machined entirely from high-strength aluminum alloy and finished with a robust Mil-Spec Type III hardcoat anodization.

Please Note: Firearms and accessories shown in product images are for illustrative purposes only and are not included. Due to the wide variety of product configurations, images may vary slightly in proportion from the exact model described.

Attributes

- Name: ERATAC One-Piece Mount 30mm, H25mm, 20MOA, nut
- Manufacturer: ERATAC
- Product no.: EU2017918
- Mfr. No.: T5013-2025
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T5013-2025

Table of Contents

- [Startpage](#)
- [English: ERATAC OnePiece Mount Safety Instructions](#)

ERATAC OnePiece Mount Safety Instructions

Introduction

Thank you for choosing the ERATAC OnePiece Mount. This product is designed for versatility and durability, making it suitable for both boltaction rifles and AR10 platforms. To ensure your safety and the proper functioning of the mount, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the mount is compatible with your firearm and accessories before installation.
- Always handle firearms with care and follow standard firearm safety practices.
- Inspect the mount regularly for any signs of wear or damage.
- Store the mount in a safe place, away from children and unauthorized users.
- Be aware of your surroundings when using the mount and firearm to prevent accidents.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's weight limit for mounted accessories.
- Ensure that all adjustments are tightened securely before use.
- Avoid using the mount in extreme conditions unless it has been specifically tested for such use.
- If using additional accessories, ensure they are compatible with the ERATAC UNIVERSAL interface.
- Always check the returntozero functionality after any adjustments or installations.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Align the mount with the Picatinny or Weaver rail on your firearm.
- Use the adjustable steel QD safety levers to secure the mount firmly.
- Verify that the mount is level and properly aligned before tightening.
- Doublecheck that all screws and levers are tightened securely.

2. Usage:

- Always check the mount's stability before firing.
- After installation, test the mount's returntozero capability by firing a few rounds and then removing and reattaching the mount.
- If using an Angle Cosine Indicator or other addons, ensure they are properly installed and calibrated.
- Regularly inspect the mount and accessories for any signs of damage or wear.

Disposal Instructions

- Dispose of the ERATAC OnePiece Mount responsibly in accordance with local regulations.
- Do not dispose of the mount in regular household waste if it contains any hazardous materials.
- Contact your local waste management facility for guidance on the proper disposal of aluminum alloy products.

Contact Information for Further Support

For any safety inquiries or concerns regarding the ERATAC OnePiece Mount, please contact your local ERATAC

representative or authorized dealer. Ensure you have the product details ready for a more efficient response.

By adhering to these safety instructions, you can ensure a safe and effective experience with your ERATAC OnePiece Mount. Thank you for your attention to these important safety guidelines.