

Two-Piece Ring Mounts - ERATAC Ring Mount, 30 mm, H 13mm, lever

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Mil-Spec Engineering: Crafted from aircraft-grade, high-strength aluminum and finished with a non-reflective, matte black Mil-Spec Type III hardcoat anodization.



Dual Fastening Options: Choose between a standard nut configuration or a tool-free, quick-detach (QD) safety lever system for rapid mounting and removal.

Adaptable Rail Tension: The adjustable aluminum safety levers can be easily fine-tuned to ensure a rock-solid lock on out-of-spec or non-standard Picatinny rails.

Tactical Modular Interface: Boasting a robust 25 mm ring width, every single ring is equipped with the integrated ERATAC UNIVERSAL interface to support secondary optics and accessories.

Attributes

- Name: [ERATAC Ring Mount, 30 mm, H 13mm, lever](#)
- Manufacturer: [ERATAC](#)
- Product no.: EU2017947
- Mfr. No.: T4003-0013
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T4003-0013

Table of Contents

- [Startpage](#)
- [TwoPiece Ring Mounts ERATAC Ring Mount Safety Instructions](#)
- [About Us](#)

TwoPiece Ring Mounts ERATAC Ring Mount Safety Instructions

Introduction

Thank you for choosing the TwoPiece Ring Mounts ERATAC Ring Mount. This product is designed for secure attachment of optics and accessories to firearms. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's recommendations.
- Always inspect the ring mount for any signs of damage before use.
- Keep the ring mount out of reach of children and unauthorized users.
- Do not modify the ring mount in any way, as this may compromise its safety and functionality.
- Use the product only with compatible firearms and accessories.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to equipment failure or accidents.
 - Using the ring mount with incompatible accessories can result in damage or injury.
- **Avoiding Hazards:**
 - Always ensure that the ring mount is securely fastened before use.
 - Regularly check the tightness of the mounting screws and levers.
 - Do not exceed the manufacturer's specified weight limits for mounted accessories.
- **Age Specific Warnings:**
 - This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Select a suitable Picatinny rail on your firearm.
- If using the standard nut configuration:
 - Align the ring mount with the rail and insert the nut through the mounting hole.
 - Tighten the nut securely using a wrench.
- If using the toolfree, quickdetach safety lever:
 - Position the ring mount on the rail and engage the lever.
 - Ensure the lever is fully closed and locked.
- Adjust the aluminum safety levers as necessary to ensure a secure fit.

2. Usage:

- Always check that the optics or accessories are securely mounted before each use.
- Be mindful of the weight of the accessories being mounted; do not exceed recommended limits.
- If you experience any wobbling or instability, stop use immediately and inspect the mount.

Disposal Instructions

- Dispose of the TwoPiece Ring Mounts ERATAC Ring Mount in accordance with local regulations for aluminum products.
- Do not dispose of the product in household waste. Instead, take it to a designated recycling center.

Contact Information for Further Support

For any inquiries regarding the TwoPiece Ring Mounts ERATAC Ring Mount, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk