

Two-Piece Ring Mounts - ERATAC Ring Mount, 30 mm, H 20mm, nut

Mil-Spec Engineering: Crafted from aircraft-grade, high-strength aluminum and finished with a non-reflective, matte black Mil-Spec Type III hardcoat anodization.



Dual Fastening Options: Choose between a standard nut configuration or a tool-free, quick-detach (QD) safety lever system for rapid mounting and removal.

Adaptable Rail Tension: The adjustable aluminum safety levers can be easily fine-tuned to ensure a rock-solid lock on out-of-spec or non-standard Picatinny rails.

Tactical Modular Interface: Boasting a robust 25 mm ring width, every single ring is equipped with the integrated ERATAC UNIVERSAL interface to support secondary optics and accessories.

Attributes

- Name: ERATAC Ring Mount, 30 mm, H 20mm, nut
- Manufacturer: ERATAC
- Product no.: EU2017952
- Mfr. No.: T5003-0020
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T5003-0020

Table of Contents

- [Startpage](#)
- [English: TwoPiece Ring Mounts ERATAC Safety Instruction Guide](#)

TwoPiece Ring Mounts ERATAC Safety Instruction Guide

Introduction

Thank you for choosing the TwoPiece Ring Mounts ERATAC. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always inspect the product for any signs of damage or wear before installation or use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all instructions provided in this guide to avoid accidents or injuries.
- In case of any malfunction or damage, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation may lead to the failure of the mount, which could result in damage to your optics or injury.
- Ensure that the mount is securely fastened to prevent it from loosening during use.

• Avoiding Hazards:

- Always use the appropriate tools and follow the installation instructions carefully.
- Do not exceed the weight limit recommended for your specific optics.
- Regularly check the tension of the safety levers and fastenings to ensure they remain secure.

• AgeSpecific Warnings:

- This product is not intended for use by children. Adult supervision is recommended during installation and use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and ensure you have a clean workspace.
- Verify that the mounting surface (Picatinny rail) is clean and free from debris.

2. Installation:

- Choose between the standard nut configuration or the toolfree, quickdetach (QD) safety lever system based on your preference.
- For the nut configuration:
 - Align the mount on the Picatinny rail.
 - Securely fasten the nut using the appropriate tool until it is tight, but do not overtighten.
- For the QD safety lever system:
 - Position the mount on the Picatinny rail.
 - Engage the safety lever and adjust until it is securely locked in place.
 - Test the mount by gently pulling on it to ensure it is firmly attached.

3. Usage:

- Always doublecheck that the mount is secure before use.
- Avoid sudden impacts or excessive force that could loosen the mount.
- Regularly inspect the mount during use to ensure it remains secure.

Disposal Instructions

- Dispose of the product in accordance with your local regulations regarding electronic waste and materials.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries related to product safety or to report unsafe products, please refer to the relevant EU contact points or authorities. Regularly check for recall updates on the EU's Safety Gate platform.

Thank you for your attention to these safety instructions. Enjoy your TwoPiece Ring Mounts ERATAC responsibly and safely!