

Two-Piece Ring Mounts - ERATAC Ring Mount, 34 mm, H 25 mm, lever

Mil-Spec Engineering: Crafted from aircraft-grade, high-strength aluminum and finished with a non-reflective, matte black Mil-Spec Type III hardcoat anodization.



Dual Fastening Options: Choose between a standard nut configuration or a tool-free, quick-detach (QD) safety lever system for rapid mounting and removal.

Adaptable Rail Tension: The adjustable aluminum safety levers can be easily fine-tuned to ensure a rock-solid lock on out-of-spec or non-standard Picatinny rails.

Tactical Modular Interface: Boasting a robust 25 mm ring width, every single ring is equipped with the integrated ERATAC UNIVERSAL interface to support secondary optics and accessories.

Attributes

- Name: ERATAC Ring Mount, 34 mm, H 25 mm, lever
- Manufacturer: ERATAC
- Product no.: EU2017959
- Mfr. No.: T4004-0025
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T4004-0025

Table of Contents

- [Startpage](#)
- [English: TwoPiece Ring Mounts Safety Instruction Guide](#)

TwoPiece Ring Mounts Safety Instruction Guide

Introduction

Thank you for choosing the TwoPiece Ring Mounts ERATAC Ring Mount. This product is designed to provide secure mounting for optics and accessories. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** Ensure safe use of the TwoPiece Ring Mounts. Follow all instructions and safety precautions outlined in this guide.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. You can find updates through the EU Safety Gate platform.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is kept out of reach of minors.
- **EU Contact Point:** For safety inquiries, consult the relevant EU contact point in your country.
- **Rapid Alerts:** Be aware that updates on unsafe products will be provided via the Safety Gate system.

Specific Safety Precautions for Use

- **Inspection Before Use:** Always inspect the ring mounts for any signs of damage or wear before installation. Do not use if damaged.
- **Proper Installation:** Follow the installation instructions carefully to avoid improper use that could lead to accidents.
- **Weight Limitations:** Ensure that the weight of the mounted optics does not exceed the recommended limits for the ring mounts.
- **Secure Fastening:** Always ensure that the fasteners are securely tightened before use to prevent accidental detachment.
- **Avoid OverTightening:** Do not overtighten the fasteners, as this may damage the ring mounts or the mounted equipment.
- **Environmental Considerations:** Avoid using the product in extreme temperatures or harsh environments that could affect its integrity.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a suitable wrench for fastening.
- Ensure that the mounting surface is clean and free of debris.

2. Installation Steps:

- Align the ring mounts with the desired position on the Picatinny rail.
- Choose your fastening option: either the standard nut configuration or the toolfree, quickdetach safety lever system.
- If using the nut configuration:
 - Insert the nut into the designated slot.
 - Tighten the nut securely using the wrench.
- If using the quickdetach safety lever:
 - Pull the lever outwards and position the mount.
 - Release the lever to engage the locking mechanism.

3. **Final Checks:**

- After installation, check that the ring mounts are firmly attached to the rail.
- Test the stability by gently shaking the mounted optics to ensure no movement occurs.

4. **Usage:**

- When using the mounted optics, ensure they are securely fastened and adjusted for comfort and accuracy.
- Regularly check the tightness of the mounts during use, especially after extended periods.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the TwoPiece Ring Mounts in accordance with local regulations regarding electronic waste and materials.
- **Recycling:** If possible, recycle the aluminum components to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the TwoPiece Ring Mounts ERATAC Ring Mount, please consult the retailer or manufacturer's website for support and additional information.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your TwoPiece Ring Mounts!