

Rings with Universal-Interface - Clamp Ring with Universal-Interface 1"/26mm

Battle-Proven Modularity: Designed for installation on either the riflescope's main tube or objective bell, these clamping rings feature the field-proven ERATAC UNIVERSAL interface. This tactical system allows you to attach various Picatinny rail lengths and specialized adapter plates for mounting secondary optics or electronic accessories.



Optimized Split Configurations:

Main Tube Rings: Feature a dual-split (two-piece) design.

Objective Rings: Feature a single-split (one-piece) design.

Note: For riflescopes equipped with an integrated mounting rail on the main tube, only the objective-style rings can be used.

Streamlined and Adjustable Profiles: Each ring has a robust width of 18 mm and a low-profile base height (BH) of 3 mm. If additional clearance is required, the height can be easily increased using optional ERATAC spacer blocks.

Freely Indexable Positioning: When installing the rings onto your optic, the radial orientation can be rotated 360 degrees, allowing you to position your accessories at the exact angle that fits your shooting style.

Duty-Grade Build: CNC-machined from high-strength aluminum and finished with a non-reflective, matte black Mil-Spec Type III hardcoat anodization for maximum corrosion and wear resistance.

Attributes

- Name: Clamp Ring with Universal-Interface 1"/26mm
- Manufacturer: ERATAC
- Product no.: EU2018007
- Mfr. No.: 03680-5726
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: 03680-5726

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for Rings with UniversalInterface Clamp](#)

Safety Instruction Guide for Rings with UniversalInterface Clamp

Introduction

Thank you for choosing the Rings with UniversalInterface Clamp. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the Rings with UniversalInterface Clamp by following all instructions provided in this guide.
- **Enhanced Recalls:** Stay informed about product recalls and safety notices. If you receive a recall notice, follow the instructions provided for a safe remedy.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** Extra care should be taken when using this product around children. Ensure that they are supervised and kept at a safe distance during use.
- **EU Contact Point:** For any safety inquiries, please refer to the contact point provided by the retailer or manufacturer.
- **Rapid Alerts:** Stay updated on any safety alerts regarding this product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the rings are installed correctly to avoid any accidents. Follow the installation instructions carefully.
- **Weight Limit:** Do not exceed the weight limit specified for the rings. Overloading can lead to failure and potential injury.
- **Regular Inspection:** Periodically check the rings for any signs of wear or damage. Replace any damaged components immediately.
- **Proper Handling:** Handle the rings with care. Avoid dropping or mishandling them, as this may compromise their integrity.
- **Environmental Conditions:** Avoid exposing the rings to extreme temperatures or harsh weather conditions that could affect their performance.

Instructions for Installation and Usage

- **Installation Steps:**
 1. **Preparation:** Ensure that the surface where the rings will be installed is clean and free from debris.
 2. **Positioning:** Decide on the desired position for the rings on the riflescope's main tube or objective bell.
 3. **Attachment:** Align the rings with the mounting surface and secure them using the provided screws. Ensure they are tightened adequately but do not overtighten.
 4. **Indexing:** Rotate the rings to the desired radial orientation (up to 360 degrees) to fit your shooting style.
 5. **Final Check:** Once installed, doublecheck that all screws are secure and that the rings are properly positioned.
- **Usage Guidelines:**

- Ensure that any additional accessories mounted on the rings are compatible and securely attached.
- Always maintain a safe shooting distance and follow all safety protocols when using the riflescope.

Disposal Instructions

- **Disposal of Product:** When the Rings with UniversalInterface Clamp reach the end of their life, dispose of them in accordance with local regulations. Do not dispose of the product in household waste.
- **Recycling:** Consider recycling the aluminum components where facilities exist to reduce environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the Rings with UniversalInterface Clamp, please refer to the contact information provided by the retailer or manufacturer. They will assist you with any safety inquiries or product support needs.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy your experience with the Rings with UniversalInterface Clamp.