

Backup Sights - Offset Sight, HK-Style, complete, Front Sight 1.35mm

Versatile Application: Engineered for sports shooters, AR-platform enthusiasts, tactical competitors, and hunters seeking a rock-solid, mechanical backup to their primary optics setup.



Reliable Secondary Aiming: Designed to integrate seamlessly onto standard Picatinny rail configurations, providing an instant, clear sight picture if your electronic or variable optic goes down.

Attributes

- Name: Offset Sight, HK-Style, complete, Front Sight 1.35mm
- Manufacturer: ERATAC
- Product no.: EU2018036
- Mfr. No.: T0541-3355
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: T0541-3355

Table of Contents

- [Startpage](#)
- [English: Backup Sights Offset Sight Safety Instructions](#)

Backup Sights Offset Sight Safety Instructions

Introduction

Thank you for choosing the Backup Sights Offset Sight, HKStyle. This product is designed for sports shooters, tactical competitors, and hunters, providing a reliable mechanical backup for your primary optics setup. Please read this safety instruction guide carefully to ensure safe and effective use of this product.

General Safety Guidelines

- Ensure that the Backup Sights Offset Sight is installed correctly before use.
- Always check the sight for damage or wear before each use.
- Use the product only for its intended purpose as described in this guide.
- Keep the sight away from children and vulnerable individuals.
- Report any unsafe product incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure that the Picatinny rail is clean and free of debris before installation.
- Do not overtighten screws during installation to avoid damaging the sight or rail.

• Usage Precautions:

- Always ensure your firearm is pointed in a safe direction when using the sight.
- Avoid using the sight in extreme weather conditions that may affect its performance.
- Regularly check the sight's alignment and stability during use.

• Storage Precautions:

- Store the sight in a dry and cool environment to prevent corrosion.
- Use protective covers when the sight is not in use.

Instructions for Installation and Usage

Installation Instructions

1. Gather Required Tools:

- Phillips screwdriver
- Cleaning cloth

2. Prepare the Picatinny Rail:

- Clean the rail with a cloth to remove any dirt or debris.

3. Position the Sight:

- Align the Backup Sights Offset Sight with the desired position on the Picatinny rail.

4. Secure the Sight:

- Insert and tighten the screws using the Phillips screwdriver. Ensure they are snug but do not overtighten.

5. Check Alignment:

- Verify that the sight is properly aligned with your primary optics.

Usage Instructions

1. Check Firearm Safety:

- Ensure the firearm is unloaded and pointed in a safe direction.

2. Aiming:

- Use the Backup Sights Offset Sight to acquire a clear sight picture when your primary optics are not available.

3. Regular Maintenance:

- Inspect the sight regularly for any signs of wear or damage and clean it as necessary.

Disposal Instructions

- Dispose of the Backup Sights Offset Sight in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- Consider recycling options available in your area.

Contact Information for Further Support

For any inquiries or support regarding the Backup Sights Offset Sight, please refer to the manufacturer's website or customer service. Ensure you have the product details ready for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Backup Sights Offset Sight. Thank you for your attention to these important guidelines.