

Rails - Picatinny-Rail, Alu, AK47/AK74

The Ultimate AK Optics Solution: This premium, compact Picatinny rail by Recknagel / ERATAC delivers a rock-solid, recoil-proof, and easily installed solution for retrofitting red dot and reflex sights onto AK-47 and AK-74 platforms, as well as their civilian semi-automatic variants.



Drop-In Integration: Measuring just over 8 cm, this specialized rail is designed to directly replace your rifle's factory rear tangent sight leaf, utilizing the existing rear sight block for a streamlined, low-profile optic placement.

Attributes

- Name: Picatinny-Rail, Alu, AK47/AK74
- Manufacturer: ERATAC
- Product no.: EU2018056
- Mfr. No.: 57050-003J
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- EAN/UPC: 57050-003J

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for the Rails PicatinnyRail, Alu, AK47/AK74](#)

Safety Instruction Guide for the Rails PicatinnyRail, Alu, AK47/AK74

Introduction

Thank you for choosing the Rails PicatinnyRail, Alu, AK47/AK74. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- **Product Safety:**
 - Ensure that the Picatinny rail is used only with compatible AK47 and AK74 platforms.
 - Regularly inspect the rail for any signs of wear or damage before each use.
- **Enhanced Recalls:**
 - Stay informed about any product recalls or safety notices related to this item.
- **Online Shopping:**
 - If purchased online, ensure that the platform complies with safety regulations.
- **Special Consumer Focus:**
 - Keep this product out of reach of children and unauthorized users.
- **EU Contact Point:**
 - For any safety inquiries, refer to the designated EU contact point.
- **Rapid Alerts:**
 - Monitor the EU Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or removing the Picatinny rail.
- Avoid using the rail in extreme weather conditions that may affect its performance.
- Do not attempt to modify or alter the Picatinny rail in any way.
- Ensure that all mounting hardware is securely tightened before use.
- Be aware of your surroundings and ensure a safe shooting environment at all times.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your AK47 or AK74 is unloaded and in a safe condition.
- Gather all necessary tools, including a screwdriver and any mounting hardware provided.

2. Installation:

- Remove the factory rear tangent sight leaf from your rifle.
- Align the Picatinny rail with the existing rear sight block.
- Securely attach the rail using the provided mounting hardware, ensuring it is firmly in place.
- Doublecheck that the rail is aligned properly and does not obstruct the operation of the firearm.

3. Usage:

- Once installed, you can attach your red dot or reflex sight to the Picatinny rail.
- Make sure the optic is securely mounted and properly zeroed before firing.
- Regularly check the mounting of the optic to ensure it remains secure during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If you need assistance with disposal, contact local waste management services for guidance.

Contact Information for Further Support

For further assistance or inquiries regarding safety and usage, please refer to the designated EU contact point or consult the retailer from whom you purchased the product.

Thank you for following these safety guidelines. Your safety is our priority, and we hope you enjoy using the Rails PicatinnyRail, Alu, AK47/AK74.